Notice of Allowability	Application No.	Applicant(s)	
	09/857,865	09/857,865 KITAYAMA ET AL.	
	Examiner	Art Unit	
	Cephia D. Toomer	1714	
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to or other appropriate communated in the community of the commu	this application. If not included nication will be mailed in due cou	urse. THIS
1. \boxtimes This communication is responsive to <u>the amendment filed</u>	january 20, 2004.		
2. X The allowed claim(s) is/are <u>1-15</u> .			
3. The drawings filed on are accepted by the Examine	er.		
 4. Acknowledgment is made of a claim for foreign priority u a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have international Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submin INFORMAL PATENT APPLICATION (PTO-152) which given 	e been received. e been received in Application ocuments have been received of this communication to file a MENT of this application.	No in this national stage application a reply complying with the requi	rements
6. CORRECTED DRAWINGS (as "replacement sheets") mu (a) including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR and each sheet. Replacement sheet(s) should be labeled as such in	st be submitted. son's Patent Drawing Review - 's Amendment / Comment or i	(PTO-948) attached n the Office action of e drawings in the front (not the ba	ack) of
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATE FOR THE DEPOSIT OF BIOI	RIAL must be submitted. Not LOGICAL MATERIAL.	e the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☑ Interview Sur Paper No./N 08), 7. ☑ Examiner's A	Mail Date Amendment/Comment Statement of Reasons for Allowa	
		Cephia D. Toomer Primary Examiner Art Unit: 1714	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Frederick Vastine on March 29, 2004.

The application has been amended as follows: replace claim 13 with the currently amended version.

Claim 13. The flame-retardant polycarbonate resin composition as claimed in claim 1, wherein the composition contains at least one material selected from the groups consisting of phenolic, phosphorus-containing or sulfur-containing antioxidants, antistatic agents, polyamide-polyether block copolymer permanent static electrification resistance agents, benzotriazole-type or benzophenone-type UV absorbents, hindered amine-type light stabilizers, weather-proofing agents, plasticizers, microbiocides, compatibilizers and colorants.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cephia D. Toomer whose telephone number is 571-272-1126. The examiner can normally be reached on Monday-Thursday.

Application/Control Number: 09/857,865

Art Unit: 1714

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vasu Jagannathan can be reached on 571-272-1119. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Cephia D. Toomer Primary Examiner Art Unit 1714

09857865\040104